Title: Rotational Light Emitting Display Apparatus

Serial No: 10/775,694 Docket No: Matlock.001

March 11, 2008 Page 2 of 10

## **AMENDMENT IN THE CLAIMS**

Claims 1-39 (canceled):

Claim 40 (currently amended):

A light emitting display apparatus for displaying a stationary or animated imaged on a rotating object, such as, for example, a wheel of a vehicle, the light emitting display apparatus comprising:

a support attachable to the rotating object so as to having the same center of rotation as the rotating object;

a plurality of light emitting elements on said support and arranged in one or more generally parallel columns;

one or more image maps of an image to be displayed, each image map including an array of plurality of columns;

a means for sensing the rotational position of said support about the center of rotation and generating a signal;

a microcontroller attached to each of said plurality of light emitting elements, said microcontroller receiving receives said signal and operating operates to select an image map and a column from said selected image map in accordance with said signal and configured to illuminate one or more of said light emitting elements in accordance with said the selected image map, the said selected column and said signal, thereby displaying said image as said support is rotated about the center of rotation so as to be viewed by humans; and

a power source connected to and providing electrical power to said microcontroller.

Title: Rotational Light Emitting Display Apparatus

Serial No: 10/775,694 Docket No: Matlock.001

March 11, 2008 Page 3 of 10

Claim 41 (new):

The apparatus of claim 40, wherein said microcontroller further operates to define a delay

period and is further configured to illuminate one or more of said light emitting elements

in accordance with said selected image map, said selected column, said signal, and said

delay period.

Claim 42 (new):

The apparatus of claim 41, wherein said microcontroller determines the rotational

frequency of said support from said signal and from said rotational frequency determines

the linear velocity of the object to which said support is attached, and wherein said image

is of a speedometer which dynamically displays said linear velocity.

Claim 43 (new):

The apparatus of claim 41, wherein said microcontroller determines the rotational

acceleration of said support from said signal and from said rotational acceleration

determines the linear acceleration of the object to which said support is attached, and

wherein said image is of an accelerometer which dynamically displays said linear

acceleration.

Claim 44 (new):

The apparatus of claim 41, wherein the object is a vehicle wheel and said microcontroller

is encoded with the radius of the wheel and the vehicle mass to which the vehicle wheel

is mounted, and further wherein said microcontroller determines the rotational

acceleration of said support from said signal and from said rotational acceleration

determines the linear acceleration of the wheel, and then using said linear acceleration

determines the power of the vehicle using the said linear acceleration, the vehicle mass,

Title: Rotational Light Emitting Display Apparatus

Serial No: 10/775,694

Docket No: Matlock.001 March 11, 2008

Page 4 of 10

and the radius of the wheel, and further wherein said image is of a vehicle

instrumentation which dynamically displays the determined power of the vehicle.

Claim 45 (new):

The apparatus of claim 40, wherein said microcontroller determines the rotational

frequency of said support from said signal and using said rotational frequency determines

the linear velocity of the object to which said support is attached, and wherein said image

is of a speedometer which dynamically displays said linear velocity.

Claim 46 (new):

The apparatus of claim 40, wherein said microcontroller determines the rotational

acceleration of said support from said signal and using said rotational acceleration

determines the linear acceleration of the object to which said support is attached, and

wherein said image is of an accelerometer which dynamically displays said linear

acceleration.

Claim 47 (new):

The apparatus of claim 40, wherein the object is a vehicle wheel and said microcontroller

is encoded with the radius of the wheel and the vehicle mass to which the vehicle wheel

is mounted, and further wherein said microcontroller determines the rotational

acceleration of said support from said signal and using said rotational acceleration

determines the linear acceleration of the wheel, and then using said linear acceleration

determines the power of the vehicle using the said linear acceleration, the vehicle mass,

and the radius of the wheel, and further wherein said image is of a vehicle

instrumentation which dynamically displays the determined power of the vehicle.

Claim 48 (new):

Title: Rotational Light Emitting Display Apparatus

Serial No: 10/775,694

Docket No: Matlock.001

March 11, 2008

Page 5 of 10

A light emitting display apparatus, comprising:

a wheel attached to a vehicle;

a support attached to said wheel so as to having the same center of rotation as the

rotating object;

a plurality of light emitting elements on said support and arranged in one or more

generally parallel columns;

one or more image maps of an image to be displayed, each image map including

an array of plurality of columns;

a means for sensing the rotational position of said support about the center of

rotation and generating a signal;

a microcontroller attached to each of said plurality of light emitting elements, said

microcontroller receiving said signal and operating to select an image map and a column

from said selected image map in accordance with said signal, and operating to define

delay period in accordance with said signal, said microcontroller configured to illuminate

one or more of said light emitting elements in accordance with said selected image map,

said selected column, said signal and said delay period, thereby displaying said image as

said support is rotated about the center of rotation so as to be viewed by humans; and

a power source connected to and providing electrical power to said

microcontroller.

Claim 49 (new):

The apparatus of claim 48, wherein said microcontroller determines the rotational

frequency of said wheel from said signal and using said rotational frequency determines

the linear velocity of said wheel, and wherein said image is of a speedometer which

dynamically displays said linear velocity.

Claim 50 (new):

Title: Rotational Light Emitting Display Apparatus

Serial No: 10/775,694 Docket No: Matlock.001

March 11, 2008 Page 6 of 10

The apparatus of claim 48, wherein said microcontroller determines the rotational acceleration of said wheel from said signal and using said rotational acceleration determines the linear acceleration of said wheel, and wherein said image is of an accelerometer which dynamically displays said linear acceleration.

Claim 51 (new):

The apparatus of claim 40, wherein said microcontroller is encoded with the radius of said wheel and the vehicle mass to which said wheel is mounted, and further wherein said microcontroller determines the rotational acceleration of said wheel from said signal and using said rotational acceleration determines the linear acceleration of said wheel, and then using said linear acceleration determines the power of the vehicle using said linear acceleration, the encoded vehicle mass, and the encoded radius of said wheel, and further wherein said image is of a vehicle instrumentation which dynamically displays the determined power of the vehicle.